


ezoBord™ × Reprodur

High Performance Acoustic Solutions + Bespoke Graphics



Print your design directly on the panel >>



The perfect union of form and function. Get the performance you need and the design you love with custom printing from Reprodex.

Specifications

Composition

100% PET (min. 50% recycled content)

Thickness

Available in two thicknesses:

- ½" (12mm) | ±0.5mm

Weight

- ½" (12mm) sheet: 16.0lbs (7.26kg) | ±5%

Hardness

60-65 (Shore C)

Dimensions

- ½" (12mm): 48" (1219mm) x 108 3/16" (2748mm) (±1mm)

Fire Testing

- North America:
 - ASTM E-84 Class A*
 - CAN ULC S102-10
- Europe and UK:
 - EN13501-1: 2007

Environment

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.

Acoustics

Refer to ASTM C423 test charts for specific absorption coefficients.

- ½" (12mm): NRC 0.80 (subject to mounting conditions)

Applications

Wall and ceiling, tackboards, visual and acoustical privacy barriers, acoustic canopies, and other custom applications.

Product Variances

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

General

Tackable, impact resistant, bacteria resistant, moisture resistant, installation friendly.

Custom Orders

Custom design options include CNC cutting for virtually any shape and printing.

* Upon request, ½" (12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant.



T: 1-844-441-1122
E: sales@ayrsonics.com
W: www.ezoBord.com



T: 905-673-2000
E: info@reprodux.com
W: www.reprodux.com

Sample Colors
1/2" (12mm)



PB09 - PURE BLACK




CG06 - CHARCOAL GRAY



BG07 - BOLD GRAY



EG11 - ELEPHANT GRAY




SG04 - SILVER GRAY




CW04 - CLASSIC WHITE



DS10 - DESERT SAND



TB35 - TREE BARK



SD18 - SUNNY DAYS



BR34 - BRICK RED




CV36 - GRAPE VINE



RB08 - ROYAL BLUE



PI14 - POLAR ICE



OB14 - OCEAN BLUE



MG10 - MOSS GREEN

Variation in fibre mix and dye lot / colour may occur.

0420



T: 1-844-441-1122
E: sales@ayrsonics.com
W: www.ezoBord.com

Reprodux

T: 905-673-2000
E: info@reprodux.com
W: www.reprodux.com

ezoBord is a registered trademark of iVekter Inc.